

Technical drawing of a structural frame with a diagonal beam. The drawing includes the following details:

- Dimensions:**
  - Vertical dimensions: 4427, 2700, 180, 180, 1925, 3652.
  - Horizontal dimensions: 160, 160, 160, 160.
  - Diagonal beam segments:  $10 \times 172.9 / 284.2$  and  $11 \times 172.9 / 284.2$ .
  - Other dimensions: 284, 173, 31°-22'-17".
- Material Specifications:**
  - HEB120 (Hot Rolled I-beams)
  - L50/50/4 (Angle iron)
  - U180 (Channel section)
- Elevation Levels:**
  - +1.8719
  - +3.600
  - 0.030
- Other Labels:**
  - POZN. Č. 1 (Note 1)
  - HEB120 (multiple locations)
  - L50/50/4 (multiple locations)
  - U180 (multiple locations)



VÝPIS VÁLCOVANÉ OCELI				HRUBÝ VÝPIS		
Č.P.	Ø	DĚLKA	KS	bm	kg/bm	kg
	HEB 120	6692	8	53,536	26,70	1429,41
	HEB 120	2500	2	5,00	26,70	133,50
	Uč 180	2500	2	5,00	22,00	110,00
	Uč 180	5586	2	11,172	22,00	245,78
	Uč 180	4930	2	9,86	22,00	216,92
	L 50/50/4	26440	1	26,44	3,06	80,91
HMOTNOST CELKEM kg				2218,52		

Pororost – celková pl. 6,3 m<sup>2</sup>  
Schodnice pororost – 19 ks  
Platle spoje – pásovina 8 mm  
Platle uložení – pásovina 400/400/14 mm, 8 ks

NA PODPŮRNOU KCI ULOŽENO PŘES ROZNÁŠECÍ OCELOVÉ PLÁTY, ŽÁROVĚ ZINKOVÁNO

POZN. Č. 1 – VE VYZNAČENÉM PROSTORU BUDE PROVEDEN TRENÁŽNÍ NEREZOVÝ LANKOVÝ SYSTÉM PRO OZELENĚNÍ.  
LANKA BUDOU OD SEBE VZDÁLENA CCA 300 mm. PŘESNÉ POŽADAVKY SI PŘED ZAHÁJENÍM PRACÍ UPŘESNÍ INVESTOR S DODAVATELEM.

ZODPOVĚDNÝ PROJEKTANT		VYPRACOVAL		<b>ATELIER G+G s. r. o.</b> Nádražní 569/II 377 01 J. Hradec tel./fax 384 321 088 e-mail:info@ateliergg.cz	
Ing. arch. Ivana Gantnerová		Lucie Aldorfová			
MÍSTO:        parc.č. st. 2138, st. 2664, 1532/1, k.ú. Prachatice					
INVESTOR:    Nemocnice Prachatice a.s., Nebahovská 1015, 38301 Prachatice				FORMÁT	
AKCE :  <div>Úprava lékárny Nemocnice Prachatice a.s.</div>				3/A4	
				DATUM	
				05/2020	
				ÚČEL	
				DPS	
				ZAK. Č.	
				31/19	
				ARCH. Č.	
OBSAH :  <div>POŽÁRNÍ SCHODIŠTĚ</div>				31/19	
				MĚŘÍTKO	
				ČÍSLO V.	
				1:50	
				D.1.1.b17	